#### KPHA TRC SR Instruction

Please read the instructions carefully before using, in order to correctly use. After reading, please safekeeping.

## Safety precautions

## WARNING

- Do not use the time switch in any equipment that supports human death or significant social problems and this switch is esticitly not intended for such
- If you want to use the time switch he equipment that could cause a financial loss
  If a failure occurs(such as in heaters and enfigerators), select a model with
  excess capacity in terms of characteristics and performance, then also take
  safety measures such as providing duplicate circuits

### CAUTION

- Do not disassemble or modify the time switch. You may receive an electrical shock ,cause a fire,or damage the switch.
- Please do not touch the termina, After the power is on, Otherwise there will be the danger of electric shock.
- If it is found that the terminal part of the rusting, please as soon as
  possible replacement of good or you may cause a fire by poor contact
- Do not use the time switch where it mighe be splashed by water or oil you
  may receive an electrical shock ,cause a fire,or damage the switch.

#### $\Theta$ Setting the operating time


Fold the setting pin inside(OFF)or outside(ON) at the

desired time you want the action to occur

① Do not try to fold the four setting pins next to the can not set these times. if current time display(√) you you force it, you maby

Caution







Please bring hope time set button successive defeat. Set the button down, be sure to hear" Khaki" the exact sound.

CAUTION

## Names of each parts



#### Contact state





9

#### ② Adjusting the current time

• Turn the minute dial the direction shown by the arrow to match the current time.



Caution Make sure to turn the minute knob only in

the direction shown by the arow. Turning it backward forcibly may damage the switch

The dial shows the time using a 24 hour



When adjusting the current time be careful not confuse AM and PM.

## Setting the manual switch

r Lu: The output will be on , regardless of the settings(continuously ON).

The output will be turned on and off at the set times.

Set the manual switch to the 「⊕」 position


- O J: The output will be off,regardless of the settings(continuously OFF).

■You Can use a manual switch load operation test and please set to "ON" or "OFF" position

CAUTION

Please turn it to  $\ulcorner \ \bigodot \lrcorner$  position affter you finished your testing

# Dimensions (unit:mm)



Output contacts

SPDT

consumption



# Connection

#### Norking voltage Time accuracy Drive Modle Mode Cycle Power Specification list Synchronous motor drive Synchronised with mains KPHA TRC SR 220VAC 50Hz ₹

Weight	Ambient operating humldlty	Ambient operating temperature	Setting			Contact		
			NO.of on/off operation	Minimum setting	Minimum setting unit	capacity Inductivloade (cos=0.6)	Incandescent lamp load	Resistance load
100g	less than 85%	-10℃ to +50℃	96 operations/day	15 minutes	15 minutes	4A	10A	15A

#### How to instal

Front panel installation Installation type :68x68mm Before installing the knob to the level Install rotary knob to the vertical fixed The mounting panel is less than 4mm

